Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 09.08.2021 Version number 2.00 Revision: 09.08.2021

* 1 Identification of the substance/mixture and of the company/undertaking

· **Product identifier**

· **Trade name:** **Acetic acid, glacial**

· **Article number:** 7004
· **CAS Number:**
64-19-7
· **EC number:**
200-580-7
· **Index number:**
607-002-00-6
· **Registration number** The substance is exempt from REACH-registration.
· **Relevant identified uses of the substance or mixture and uses advised against**
· **Application of the substance / the mixture** Ingredient for pharmaceutical drugs
· **Uses advised against** No relevant information available.

· **Details of the supplier of the safety data sheet**
· **Manufacturer/Supplier:**
CAELO
Caesar & Loretz GmbH
Herderstr. 31
D-40721 Hilden
GERMANY

· **Further information obtainable from:**
E-mail: info@caelo.de
Tel.: +49210349940 (during regular opening hours)
· **Emergency telephone number:**
Poison Information Center Bonn
Venusberg-Campus 1, 53127 Bonn
Tel: +49 (0) 228-192400

2 Hazards identification

· **Classification of the substance or mixture**
· **Classification according to Regulation (EC) No 1272/2008**

Flam. Liq. 3 H226 Flammable liquid and vapour.

Acute Tox. 4 H332 Harmful if inhaled.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

· **Label elements**
· **Labelling according to Regulation (EC) No 1272/2008**
The substance is classified and labelled according to the CLP regulation.

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 09.08.2021 Version number 2.00 Revision: 09.08.2021

Trade name: Acetic acid, glacial

(Contd. of page 1)

· **Hazard pictograms**

GHS02 GHS05 GHS07

· **Signal word** Danger
· **Hazard statements**
H226 Flammable liquid and vapour.
H332 Harmful if inhaled.
H314 Causes severe skin burns and eye damage.
· **Precautionary statements**

P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see on this label).
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Other hazards**
· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterisation: Substances**
· **CAS No. Description**
64-19-7 acetic acid
· **Identification number(s)**
· **EC number:** 200-580-7
· **Index number:** 607-002-00-6
· **INCI-Name** ACETIC ACID

4 First aid measures

· **Description of first aid measures**
· **After inhalation:**
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
· **After skin contact:**
Take off contaminated clothes and shoes, wash immediately with plenty of water and soap.

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 09.08.2021 Version number 2.00 Revision: 09.08.2021

Trade name: Acetic acid, glacial

(Contd. of page 2)

Immediately wash with polyethylene glycol 400.
Call a doctor immediately.

· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
· **After swallowing:** Drink plenty of water and provide fresh air. Call for a doctor immediately.
· **Information for doctor:**
· **Most important symptoms and effects, both acute and delayed**
Breathing difficulty
Cramp
Nausea
Vomiting
Collapse
Etching effects
Irritation
Bronchitis
Risk of blindness
· **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Firefighting measures

· **Extinguishing media**
· **Suitable extinguishing agents:**
CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
· **Special hazards arising from the substance or mixture**
Can form explosive gas-air mixtures.
During heating or in case of fire poisonous gases are produced.
In case of fire, the following can be released:
acetic acid fumes
· **Advice for firefighters**
· **Protective equipment:** In case of fire wear suitable protective clothes and respiratory protection.
· **Additional information**
Prevent from entering into drains. Fire residues must be disposed in accordance with official regulations.

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
· **Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
· **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralising agent.
Dispose contaminated material as waste according to item 13.
· **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 09.08.2021 Version number 2.00 Revision: 09.08.2021

Trade name: Acetic acid, glacial

(Contd. of page 3)

7 Handling and storage

· **Handling:**
· **Precautions for safe handling**
Work only in fume cupboard.
Ensure good ventilation/exhaustion at the workplace.
· **Information about fire - and explosion protection:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.

· **Conditions for safe storage, including any incompatibilities**
· **Storage:**
· **Requirements to be met by storerooms and receptacles:**
Tightly closed. Store at a dry place. At room temperature (+15°C to +25°C).
· **Information about storage in one common storage facility:** Not required.
· **Further information about storage conditions:**
Protect from heat and direct sunlight.
Store receptacle in a well ventilated area.
· **Storage class:** TRHS 510: 3 Flammable liquid
· **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

· **Additional information about design of technical facilities:** No further data; see item 7.

· **Control parameters**
· **Ingredients with limit values that require monitoring at the workplace:**

CAS: 64-19-7 acetic acid

AGW (Germany) Long-term value: 25 mg/m³, 10 ppm
2(I);DFG, EU, Y

· **DNELs**
30,58 mg/l (periodic release)
MSDS
0,3058 mg/l (sea water)
MSDS
3,058 mg/l (freshwater)
MSDS
· **PNECs**
0,478 mg/kg (soil) (bw/day)
MSDS
85 mg/kg (sewage plant)
MSDS
1,136 mg/kg (marine sediment)
MSDS
11,36 mg/kg (freshwater sediment) (bw/day)
MSDS

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 09.08.2021 Version number 2.00 Revision: 09.08.2021

Trade name: Acetic acid, glacial

(Contd. of page 4)

· **Exposure controls**
· **Personal protective equipment:**
· **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
· **Respiratory protection:** Respiratory with filter.
· **Protection of hands:** Protective gloves
· **Material of gloves**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
· **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
· **Eye protection:** Tightly sealed goggles
· **Body protection:** Protective work clothing

9 Physical and chemical properties

· **Information on basic physical and chemical properties**
· **General Information**
· **Appearance:**

Form:	Fluid
Colour:	Colourless
· **Odour:**	Pungent
· **Odour threshold:**	Not determined.
· **pH-value at 20 °C:**	2.5
· **Change in condition**	
Melting point/freezing point:	16.6 °C
Initial boiling point and boiling range:	118 °C
· **Flash point:**	39 °C
· **Flammability (solid, gas):**	Not applicable.
· **Ignition temperature:**	485 °C
· **Decomposition temperature:**	Not determined.
· **Auto-ignition temperature:**	Not determined.
· **Explosive properties:**	Product is not explosive. However, formation of explosive air/ vapour mixtures are possible.
· **Explosion limits:**	
Lower:	4 Vol %

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 09.08.2021 Version number 2.00 Revision: 09.08.2021

Trade name: Acetic acid, glacial

(Contd. of page 5)

Upper:	17 Vol %
· **Vapour pressure at 20 °C:**	16 hPa
· **Density at 20 °C:**	1.05 g/cm³
· **Relative density**	Not determined.
· **Vapour density**	Not determined.
· **Evaporation rate**	Not determined.
· **Solubility in / Miscibility with water:**	Fully miscible.
· **Partition coefficient: n-octanol/water:**	Not determined.
· **Viscosity:**	
Dynamic at 20 °C:	1.24 mPas
Kinematic:	Not determined.
· **Other information**	No further relevant information available.

10 Stability and reactivity

· **Reactivity** No further relevant information available.
· **Chemical stability**
· **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
· **Possibility of hazardous reactions**
Risk of explosion on contact with hydrogen peroxide.
Reacts with strong oxidising agents.
Violent reactions with strong alkalis and oxidising agents.
· **Conditions to avoid** High temperature.
· **Incompatible materials:** Metals
· **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

· **Information on toxicological effects**
· **Acute toxicity**
Harmful if inhaled.
· **LD/LC50 values relevant for classification:**

Oral	LD50 3,310 mg/kg (rat)
Dermal	LD50 1,060 mg/kg (rabbit)
Inhalative	LC50 11.4 mg/m3 /4h (rat)

· **Primary irritant effect:**
· **Skin corrosion/irritation**
Causes severe skin burns and eye damage.
· **Serious eye damage/irritation**
Causes severe skin burns and eye damage.
· **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 09.08.2021 Version number 2.00 Revision: 09.08.2021

Trade name: Acetic acid, glacial

(Contd. of page 6)

· **Additional toxicological information:**
· **CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)**
· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
· **Carcinogenicity** Based on available data, the classification criteria are not met.
· **Reproductive toxicity** Based on available data, the classification criteria are not met.
· **STOT-single exposure** Based on available data, the classification criteria are not met.
· **STOT-repeated exposure** Based on available data, the classification criteria are not met.
· **Aspiration hazard** Based on available data, the classification criteria are not met.

12 Ecological information

· **Toxicity**
· **Aquatic toxicity:**
LC50 75 mg/L /96h (Fish)
EC50 300 mg/L /72h (Algae)
11 mg/L /72h (Bacteria)
47 mg/L /24h (Daphnia magna)
· **Persistence and degradability** Easily biodegradable
· **Behaviour in environmental systems:**
· **Bioaccumulative potential** Does not accumulate in organisms
· **Mobility in soil** No further relevant information available.
· **Additional ecological information:**
· **General notes:**
Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Must not reach sewage water or drainage ditch undiluted or unneutralised.
· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.
· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**
· **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packaging:**
· **Recommendation:** Disposal must be made according to local regulations.

14 Transport information

· **UN-Number**
· **ADR, IMDG, IATA** UN2789
· **UN proper shipping name**
· **ADR** 2789 ACETIC ACID, GLACIAL
· **IMDG** ACETIC ACID, GLACIAL

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 09.08.2021 Version number 2.00 Revision: 09.08.2021

Trade name: Acetic acid, glacial

(Contd. of page 7)

· **IATA**	Acetic acid, glacial
· **Transport hazard class(es)**	
· **ADR**	
· **Class**	8 Corrosive substances.
· **Label**	8+3
· **IMDG**	
· **Class**	8 Corrosive substances.
· **Label**	8/3
· **IATA**	
· **Class**	8 Corrosive substances.
· **Label**	8 (3)
· **Packing group**	
· **ADR, IMDG, IATA**	II
· **Environmental hazards:**	Not applicable.
· **Special precautions for user**	Warning: Corrosive substances.
· **Hazard identification number (Kemler code):**	83
· **EMS Number:**	F-E,S-C
· **Segregation groups**	Acids
· **Stowage Category**	A
· **Segregation Code**	SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides
· **Transport in bulk according to Annex II of Marpol and the IBC Code**	Not applicable.
· **Transport/Additional information:**	
· **ADR**	
· **Limited quantities (LQ)**	1L
· **Excepted quantities (EQ)**	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· **Transport category**	2
· **Tunnel restriction code**	D/E
· **IMDG**	
· **Limited quantities (LQ)**	1L
· **Excepted quantities (EQ)**	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**
· **LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)** Not listed
· **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3, 40

· **National regulations:**
· **Storage of hazardous substances in in nonstationary vessels (TRGS 510) (Germany)**
TRHS 510: 3 Flammable liquid

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 09.08.2021 Version number 2.00 Revision: 09.08.2021

Trade name: Acetic acid, glacial

(Contd. of page 8)

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

The information provided is based on our current level of knowledge. This MSDS has been compiled and is exclusively for this product intended.

· **Reasons for alterations** This version replaces all old versions.

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
MAL-Code: Måleteknisk Arbejdshygiejnisk Luftbehov (Regulation for the labeling concerning inhalation hazards, Denmark)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 3: Flammable liquids – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1A: Skin corrosion/irritation – Category 1A

· *** Data compared to the previous version altered.**